Friday, 9/21/2007 1:01:08 PM

User:

Kim Johnston

Process Sheet

Customer Job Number : CU-DAR001 Dart Helicopters Services

: 34790

Estimate Number

P.O. Number

Prsht Rev.

: 10178 : NIA

: 9/21/2007 This Issue

: MACHINED PARTS

First Issue : 33450 **Previous Run**

Written By Checked & Approved By

Comment

: Est 92.08.22 Make in Cobra KJ ħ est E 06.12.11 ecn 836

Part Number

Drawing Name

: D25941

Drawing Number

- D2594 REV C : N/A

: PLUG

Project Number **Drawing Revision**

Material : 10/10/2007 **Due Date**

Qty:

500 Um:

Each

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

M6061T6R0625

6061-T6 Round Bar .625"

EC



Comment: Qty.:

0.0547 f(s)/Unit Total: 27.3525 f(s)

Material: 5052-H32 (QQ-A-225/7) or 6061-T6 (QQ-A-225/8)

1100-0 (QQ-A-225/1) Ø0.625" Rod

(M5052H32R0.625) or (M6061T6R0.625)

2.0

HARDINGE



Comment: HARDINGE CNC LATHE SMALL

1-Make as per Dwg D2594-1 and Folio FA262.

2-Break all sharp edges 0.010 max.

3.0

QC2

Comment: INSPECT PARTS AS THEY COME OFF MACHINE

SECOND CHECK





4.0

QC8

Comment: SECOND CHECK



5.0

HAND FINISHING RESC



Comment: HAND FINISHING RESOURCE #1

Acid etch and alodine as per QSI 005 4.1

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No):	PAR #: Fault Category:	NC	R: Yes	No DQ	A: <u>\(\)</u>	Date: <u>(</u>	7/14/18

QA: N/C Closed: ____ Date: ____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
	T	Description of NC		Corrective Action Section B		Varification	Approval Chief Eng	Approval QC Inspector		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C				
				¥						
				• .						

NOTE: Date & initial all entries

Date: Friday, 9/21/2007 1:01:08 PM User: Kim Johnston **Process Sheet Drawing Name: PLUG** Customer: CU-DAR001 Dart Helicopters Services Job Number: 34790 Part Number: D25941 Job Number: Description: Seq. #: Machine Or Operation: POWDER COATING POWDER COATING 6.0 M105068 Comment: POWDER COATING Powder Coat Gloss White (Ref: 4.3.5.1) per Dart QSI 005 4.3 (only larger dia. section necess INSPECT POWDER COAT/CHEMICAL CONVERSION 7.0 QC3 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION 8.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location:_ 1-1 9.0 QC21 FINAL INSPECTION/W/O RELEASE Comment: FINAL INSPECTION/W/O RELEASE N A-10-1 Job Completion

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES						***	
DATE	STEP	PROC	CEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				÷.					
								•	
				·					
		245							
	<u> </u>			I				<u> </u>	<u> </u>
Part No):	PAR #:	_ Fault Category:	NC	R: Yes	No DQ	A:	Date:	

QA: N/C Closed: ____ Date: ____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC	Corrective Action Section B			Verification			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspecto	
	.]]								

NOTE: Date & initial all entries

DART AEROSPACE LTD

Description: Plug

Part Number: D2594-1

Inspection Dwg: D2594 Rev: C

Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.060	+/-0.005	.061				
0.500	+/-0.010	,5025		-		
0.625	+/-0.010	1677				
0.430	+0.000/-0.002	, 429				
0.090	+0.000/-0.002	,0895				
0.045	+0.000/-0.002	2044				
					lite and the second	ir.
			1			
						147
					10	

Measured by: 🔑 /	Audited by: J.F.	Prototype Approval:	N/A `
Date: 0/10/10	Date: 07/10/16	Date:	

₹ev	Date	Change	Revised by	Approved
Α	04.01.21	New Issue	KJ/RF	- 1
В	06.12.20	Dwg Rev. updated	KJ/JLM	Cull



	DESIG	#	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
	CHEC	KED	APPROVED	DRAWING NO.	REV. C
				D2594 SHE	ET 1 OF 1
	DATE			TITLE	SCALE
		06.1	1.20	PLUG	2:1
٦	REV		DATE	DESCRIPTION	
	Α		96.09.16	NEWISSUE	
I	В		97.03.15	ADD GROOVE AND O-RING	
	С		06.11.20	ADD PWDR COAT; ADD MS P/N TO D2594 ADD AMS SPECS; ADD TOLERANCE NOTI	-3; =



0.500±0.010	<u>_</u>	CHAMFER 0.050 x 20°
0.060±0.005 — 0.06	60±0.005	0.090+0.000
POWDER COAT THESE FACES ONLY PER NOTE 2	Ø 0.430 ⁺⁰ 00.04	5+0.000 5-0.002
		DETAIL A SCALE 4 : 1

D2594-1 PLUG

D2594-1 PLUG NOTES:


- 1) MATERIAL: ALUMINUM 5052-H32 ROUND BAR PER QQ-A-225/7 (REF DART SPEC M5052H32R) OR ALUMINUM 6061-T6/T651/T6510/T6511/T62 ROUND BAR PER QQ-A-225/8 OR QQ-A-200/8 OR AMS 4117/4128/4115/4116/4160 (REF DART SPEC M6061T6R)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- POWDER COAT SPECIFIED FACES WHITE GLOSS (4.3.5.1) PER DART QSI 005 4.3 (2.3.5.1) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP EDGES TO 0.010 MAX

D2594-3 O-RING NOTES:

1) 5/16 ID, 7/16 OD, 1/16 WIDTH 2) POSSIBLE SUPPLIER P/N: PARKER 2-011 OR MS28775-011 C

PARTS LIST:

QTY	P/N	DESCRIPTION
Х	D2594	PLUG ASSEMBLY
	,	
1	D2594-1	PLUG
1	D2594-3	O-RING



D2594 PLUG ASSEMBLY

COPYRIGHT © 1996 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.